








Water Cooling Tower



TSN-3~25RT



TSN-30~60RT



TSN-70~125RT

MODEL	Flow	Basin	Height	Motor	Fan	Water Turned	Inlet / outlet	Overflow / drain	Flow valve	Height	DIA.	Foundati on	D.W	W.W
	m3/H	FD	TH	KW	ED		WI / WO	DNW / DNO	FV	C	A	B	KG	KG
8T	6.23	945	1380	0.18KW-6	525	1.5" (x4)	40 / 40	25 / 25	15	250	560	485	42	180
10T	7.81	945	1530	0.18KW-6	600	1.5" (x4)	40 / 40	25 / 25	15	250	560	485	46	190
15T	11.7	1195	1415	0.37KW-6	600	2" (x4)	50 / 50	25 / 25	15	250	740	641	54	290
20T	15.62	1195	1590	0.37KW-6	730	2" (x4)	50 / 50	25 / 25	15	250	740	641	67	300
25T	19.51	1400	1820	0.55KW-6	730	3" (x4)	80 / 80	25 / 25	15	300	1000	866	98	500
30T	23.4	1650	1705	0.75KW-6	730	3" (x4)	80 / 80	25 / 25	15	300	1120	792	116	530
40T	31.21	1650	1775	1.5KW-6	890	3" (x4)	80 / 80	25 / 25	15	300	1120	792	130	550
50T	39.24	1830	1835	1.5KW-6	890	3" (x4)	80 / 80	25 / 25	15	300	1380	976	190	975
60T	46.8	2145	1955	1.5KW-8	1150	4" (x6)	100 / 100	25 / 25	20	300	1730	1146	240	1250
80T	62.64	2145	2035	1.5KW-8	1150	4" (x6)	100 / 100	25 / 25	20	300	1730	1146	260	1280